

International EUV Initiative (IEUVI) Overview; Challenges and Collaborative Efforts

Gargini, P., Edwards, G., Dean, K., Seidel, P., Toyoda, K., Bakshi,
V., Wurm, S., Takamori, Y., Dao, G., Tedesco, S., Okazaki, S., Ogawa, M., Gotz, D.
July 1, 2006

Published in *Future Fab*, Issue 21, 2006.

Introduction

For several years now, both technical and commercialization challenges for extreme ultraviolet lithography (EUVL) have been much reported. By 2000, a handful of EUVL R&D efforts had been established at various locations in Europe, Japan and the United States; by late 2002, several solid efforts to enable key infrastructure worldwide were under way. However, there was no entity that addressed the coordination of EUVL infrastructural issues among the different geographic regions. In autumn 2003, the International EUV Initiative (IEUVI)[1] was launched to further the coordination of collaborative efforts among leading EUVL R&D consortia and to address infrastructural issues for commercialization. It built on an earlier coordination effort between Japan's only EUVL R&D entity ASET[2] and the U.S. organization EUV LLC[3] by expanding membership to CEA/LETI[4] of France, SEMATECH[5] of the U.S. and several others who joined as members since then. The IEUVI coordinates R&D activities by identifying opportunities for inter-regional benchmarking and collaboration. It primarily addresses EUVL infrastructural issues, as a result of collecting technical inputs from its Technical Working Groups (TWGs), and identifies possible showstoppers for commercialization. The initiative meets three times annually. Activities are posted at <http://www.ieuvi.org>.

The IEUVI board is chaired by Paolo Gargini of Intel Corporation. Currently active board members are CEA/LETI of France, IMEC[6] of Belgium, MEDEA+[7] of Europe, ASET of Japan, EUVA[8] of Japan and SEMATECH of the U.S. IEUVI membership and organizational structure are shown in Figure 1. Its four international Technical Working Groups (TWGs) are led by technical experts at SEMATECH, CEA/LETI, ASET, MEDEA+ and EUVA. TWG membership is open to the public by invitation. The following four sections describe activities of these four collaborative TWGs.



The IEUVI Optics Contamination TWG

The short wavelength of incident EUV illumination allows for a considerable decrease in printed integrated circuit feature size but also creates a range of technological challenges for projection optics not present with traditional lithographies. This has meant that the IEUVI Optics Contamination TWG, founded in 2003 to address EUV optics lifetime issues, finds itself more often occupied with fundamental surface science investigations rather than with the development of detailed optics manufacturing specifications.

Materials absorb EUV radiation, meaning that reflective rather than transmissive optics are required. For the same reason, exposure tools and their associated components must be kept under vacuum, but high-volume manufacturing requirements and the structure of the optics preclude traditional strategies for maintaining ultra-high vacuum. Contamination and oxidation that form on the surfaces of EUV optics produce unacceptable losses in system throughput.[9] Despite recent progress[10-15], optics lifetimes still fall short of specifications for high-volume manufacturing by nearly two orders of magnitude.[16]

The development of a commercially viable exposure tool requires the creation of a stable process window for in situ optics cleaning that strikes the appropriate balance between carbon deposition and oxidation by finding the “right” combination of protective cap layer and background chamber gases. This activity is highly proprietary, and the choice of capping layer and mitigating gases is closely guarded by exposure tool manufacturers and their optics suppliers.

However, understanding the entire range of gas/surface interactions for relevant materials is a Herculean task that naturally lends itself to cooperation. This is the focus of the IEUVI Optics Contamination TWG, which shares fundamental surface science information and lifetime testing benchmarking data on mutually agreed-upon model surfaces. Current investigations focus upon ruthenium. The TWG has brought leading surface scientists from Asia, Europe and the U.S. together with optics researchers developing capping layer oxidation models. Additionally, a Ru-capped multilayer EUV mirror benchmarking sample set is currently being exchanged among the three regions. The samples not only allow meaningful comparison of optics lifetime test facilities worldwide but also provide a neutral reference for communicating proprietary capping layer lifetime results.

The IEUVI Optics Contamination TWG is chaired by Ginger Edwards of SEMATECH/Freescale and co-chaired by Bas Mertens from TNO[17] and Yasuaki Fukuda from EUVA, and supported by Giang Dao from SEMATECH/Intel, who is the meeting organizer for this TWG (see Figure 1). Its 37 members include representatives from AMD, ASET, ASML, BOC Edwards, CEA/LETI, Carl Zeiss AG, Fraunhofer IOF[18], Infineon, Intel, LLNL [19], Nikon, NIST[20], PTB[21], Rutgers University, the University of Albany and the



The IEUVI Resist TWG

The IEUVI Resist TWG was formed to increase cooperation among members of the worldwide EUV resist community. The first task of the Resist TWG was to develop a resist specification roadmap with resist performance goals for 2005, 2007 and 2009.[1] Since then, this TWG's major goal has been to coordinate efforts to address the top three issues facing EUV resist development. Those issues and respective TWG activity are shown in Figure 2.

The most critical problem facing resist performance is simultaneously meeting the specifications for photospeed, line width roughness (LWR) and resolution. There exists a fundamental trade-off between photospeed and LWR that has been documented by many researchers[22]: Faster resists have a higher LWR and vice versa.

Resist outgassing is a challenging technical topic. To protect EUV optics, all materials used in EUV vacuum exposure chambers must be screened prior to use. Photoresists are a concern since in a high-volume production tool a freshly coated wafer will be introduced into the chamber approximately every minute. Therefore, it is very important to be able to quantify the amount of material that outgasses from the photoresist. One of the first successes of the TWG was to define a commonly accepted resist outgassing limit for micro exposure tools (METs).[1]

At the 4th International EUVL Symposium[23], EUV resist was named the top critical issue for EUV lithography.

The Resist TWG will play an important role in helping remove resist as the No. 1 issue for EUVL. It will do so by strengthening collaborative efforts to work together toward sharing EUV tool access and schedule information to make the best use of the EUV photons available worldwide, by sharing resist screening data, and by improving a resist outgassing methodology.

Recently, the TWG started sharing resist screening data. The best results presented so far are shown in Figure 3 with the champion resist demonstrating 35nm 1:1 dense lines, 4.5nm line edge roughness (LER) and 11 mJ/cm² photospeed.[24] Clearly, there is good progress toward meeting the 2007 IEUVI beta specifications targets of 32nm 1:1 resolution, <4.2nm LER and 7 mJ/cm² photospeed.[1]

The IEUVI Resist TWG is chaired by Kim Dean of SEMATECH; Serge Tedesco of CEA/LETI is the meeting organizer (see Figure 1). Its membership includes representatives from AMD, ASET, ASML, BOC Edwards, Canon, DongJin, Fujifilm, IBM, IMEC, Infineon, Intel, JSR, Nikon, Philips, Samsung, SELETE[26], ShinEtsu, Sumika, Texas Instruments, TOK, the University of Albany, and the University of Hyogo.



The IEUVI Mask TWG

The IEUVI Mask TWG consists of key stakeholders in the EUV mask development community. This TWG was initiated along with the original IEUVI charter in 2003, and more than 30 organizations have participated over the last two years[1] with each organization sending one primary representative. Such organizations range from tool suppliers, mask manufacturers, IC manufacturers, EUV mask materials suppliers and consortia to national laboratories and universities. Currently four major geographic regions are represented and participate in the IEUVI Mask TWG: Europe, Japan, Korea and the U.S. Each region nominates and selects its co-chair who provides periodic regional updates and helps define the topics for each meeting. This TWG meets face-to-face twice a year with additional teleconferences as needed.

The mission of the IEUVI Mask TWG is to foster improved EUV mask infrastructure development, provide key regional updates to increase the global knowledge base (deter the duplication of efforts) and collaborate on key areas. The TWG builds consensus with respect to required progress against EUV mask specifications (roadmaps) for alpha, beta and production tool phases and closely monitors the critical issues to identify areas that need accelerated development efforts. Figure 4 shows the top technical mask challenges identified by the TWG.[1] The color codes used in Figure 4 for risk-ranking range from red (very high risk), to yellow (significant risk), to white (solution exists) and are similar to the ones used in the International Technology Roadmap for Semiconductors (ITRS).[27]

The IEUVI Mask TWG is increasingly concerned that the availability of defect inspection tools capable of locating smaller and smaller defect sizes is gating progress on many EUV mask critical issues; this is especially true for reducing mask blank defects, zero-defect adder reticle handling and improving cleaning capabilities. In addition, the industry's ability to provide commercial solutions to maintain zero mask defects at all stages of a mask's useful lifetime must be supported by continued, rapid development of industry standards. Recent progress in reticle handling and shipping is encouraging, but more work is needed to protect against smaller defect sizes and to provide for longer mask usage intervals between defect inspections. Mask flatness and its related substrate flatness performance continues to be a critical issue, specifically with respect to demonstrating 35nm peak-to-valley (P-V) flatness repeatability under standard measurement conditions.

The IEUVI Mask TWG is chaired by Phil Seidel of SEMATECH, who is also the regional co-chair for the U.S. He is supported by co-chairs Iwao Nishiyama from ASET/NEC, Japan; Jinho-Ahn from Hanyang University, Korea; Jan Hendrik Peters from the AMTC, Europe; and Shinji Okazaki from ASET, the meeting organizer for this TWG (see Figure 1). TWG meetings have been attended by representatives from AMD, Alcatel, Asahi Glass, ASML,



Canon, Corning, Dai Nippon Printing, Entegris, HOYA, Hitachi, IBM, IMEC, Infineon, Intel, JEOL, KLA-Tencor, Lasertec, LBNL, Nikon, Ohara, Photronics, SCHOTT Lithotec, Samsung, Toppan, Toshiba, TOSOH, and the University of Albany.

The IEUVI Source TWG

The first IEUVI Source TWG meeting was held in February 2004. Since then TWG meetings have been held twice a year, always closely linked to the SEMATECH Source Workshops.[28] The mission of the Source TWG is to contribute to the timely availability of EUV sources in line with the overall EUVL roadmap requirements and to establish source roadmaps for successive exposure tool generations supported by integrated device manufacturers, by lithography tool and source suppliers and by source component suppliers. The TWG provides a forum for creating liaisons among collector suppliers, source suppliers and exposure tool manufacturers that help address critical EUV source infrastructure challenges on the way to EUVL volume production.

As high-power EUV source technology continues to make steady progress toward the 115 W of EUV power required at the intermediate focus[29-30], the IEUVI Source TWG updates the consensus specifications for alpha-, beta- and production-level EUV source specifications that are being used to track source technology advancement. Figure 5 shows the TWG's EUV source requirements table last updated in March 2006. The risk ranking ranges from red (very high risk), to yellow (significant risk), to white (solution exists) and is similar to the one used in the ITRS.[27] A major focus of the TWG is to generate consensus on technical solutions to encourage standardization, which may not be easily achieved in the larger setting of the EUV source workshops. In addition, the Source TWG provides a forum to discuss EUV source specifications that have yet not been agreed upon, e.g., the need for a spectral purity filter, collector lifetime requirements and standards related to EUV source and EUV source metrology.

Recent achievements of the IEUVI Source TWG include[1] the generation of specifications for alpha- and beta-level sources and next-generation sources (requirements beyond 115 W sources) as shown in Figure 5; identification and ranking of EUV source critical issues; reconciliation of collector lifetime specifications; and first progress toward standards for intermediate focus metrology.

The Source TWG is chaired by Koichi Toyoda of EUVA, co-chaired by Stefan Wurm of SEMATECH/Infineon; meeting organizers are Dieter Gotz of MEDEA+ and Masashi Ogawa of EUVA; Vivek Bakshi of SEMATECH is the meeting facilitator (see Figure 1). Membership consists of representatives from source suppliers, exposure tool manufacturers, tool users and optics makers including AMD, ASML, Canon, Carl Zeiss, Cymer, EUVA,



Infineon, Intel, MEDEA+, Media Lario, Nikon, Philips Extreme, PLEX LLC, SEMATECH, Usiho and XTREME technologies.

Summary

This article describes the background, objectives, membership, TWG activities and future plans of the IEUVI. Technology and infrastructure development for tomorrow's lithography manufacturing technologies have become truly global efforts requiring new approaches toward cooperation. The IEUVI is the industry's effort to facilitate information exchange and coordination among the world's major research consortia working on EUV. As the industry prepares itself for EUVL commercialization, the IEUVI is expected to be even more active in the coming years.

Acknowledgments

Many people at IEUVI member organizations have been contributing to the IEUVI. The IEUVI would like to thank them and all the other TWG participants for making the IEUVI TWGs so successful. Specifically, the IEUVI would like to thank Kevin Kemp from Freescale for his leadership and support over the past three years while serving as the IEUVI SEMATECH board representative.

Intel Corporation, 2200 Mission College Blvd., Santa Clara, CA, 95052- 8119, USA

SEMATECH, 2706 Montopolis Drive, Austin, TX 78741-6499, USA

EUVA, 5th Flr., Nishimoto Kosan Nishiki cho Bldg., 3-23 Kanda Nishiki-cho Chiyodaku, Tokyo, 101-0054, Japan

CEA/LETI, 17, rue des Martyrs, 38054 Grenoble Cedex 9, France

ASET, Time 24 Bldg., 10F 45, 2-Chome Aomi Kotou-ku, Tokyo 135-8073, Japan

MEDEA+, 140 bis, rue de Rennes, Paris, 75006, France

References

1. <http://www.ieuvi.org>.
2. Association of Super-Advanced Electronics Technologies (ASET), Japan, <http://www.aset.or.jp>.
3. Extreme Ultra-Violet Limited Liability Company, USA.
4. Commissariat à l'Energie Atomique (CEA)/Laboratoire d'Electronique de Technologie de l'Information (LETI), France, <http://www-leti.cea.fr>.



5. SEMATECH Inc., USA, <http://www.sematech.org>.
 6. Interuniversity MicroElectronics Center (IMEC), Belgium, <http://www.imec.be>
 7. Microelectronics Development for European Applications+ (MEDEA+), France, <http://www.medeaplus.org>
 8. Extreme UltraViolet Lithography System Development Association, Japan, <http://www.euva.or.jp>
 9. A. Barty and K.A. Goldberg, Proc. SPIE 5037 (2003) 450.
 10. M. E. Malinowski et al. Proc. SPIE 4688 (2002) 442.
Future Fab Intl. http://www.future-fab.com/documents.asp?d_ID=4007
- 5 of 6 21/08/2006 15:59
11. M. E. Malinowski, SEMATECH Project LITH113: EUV Optics Contamination Control Gas Blend Carbon Mitigation Data and Final Report, Report to International SEMATECH, Project LITH113, Agreement 399509-OJ.
 12. M. Malinowski, P. Grunow, C. Steinhaus, M. Clift and L. Klebanoff, Proc SPIE 4343 (2001) 347.
 13. S. Graham et al. Proc. SPIE 4688 (2002) 431; also cf. S. Graham, C. Steinhaus, M. Clift and L. Klebanoff, J. Vac. Sci. Technol., B20 (2002) 2393.
 14. B. Mertens et al. Proc. SPIE 5037 (2003) 95; also cf. N. Koster, B. Mertens, R. Jansen, A. Van de Runstraat, F. Stietz, M. Wedowski, H. Meiling, R. Klein, A. Gottwald, F. Scholze, M. Visser, R. Kurt, P. Zalm, E. Louis, A. Yakshin, Microelectron. Eng. 61-62 (2002) 65.
 15. K. Hamamoto, T. Tanaka, T. Watanabe, N. Sakaya, M. Hosoya, T. Shoki, H. Hada, N. Hishinuma, H. Sugahara, H. Kinoshita, J. Vac. Sci. Technol., B23 (2005) 247.
 16. S. Wurm and C. Gwyn, EUV Lithography, Chapter 8 of Microlithography, 2nd ed., editor editor K. Suzuki, CRC Press/Taylor and Francis Informa Group, Boca Raton, Florida, USA (2006), to be published.
 17. Nederlandse Organisatie voor Toegepast- Natuurwetenschappelijk Onderzoek (TNO), Netherlands, <http://www.tno.nl>
 18. Fraunhofer-Institut fuer Angewandte Optik und Feinmechanik (Fraunhofer IOF), Germany, <http://www.iof.fhg.de>
 19. Lawrence Livermore National Laboratory, USA, <http://www.llnl.gov>
 20. National Institute of Standards and Technology (NIST), USA, <http://www.nist.gov>
 21. Physikalisch-Technische Bundesanstalt (PTB), Germany, <http://www.ptb.de>
 22. G.M. Gallatin, "Resist Blur and Line Edge Roughness," Proceedings of SPIE, vol. 5753, 2005, pp. 38-52.
 23. 4th International Extreme Ultra-Violet Lithography (EUVL) Symposium, San Diego/CA, Nov. 7 – 9, 2005. The symposium materials can be found at <http://www.sematech.org/meetings/archives.htm>.
 24. B. La Fontaine, T. Wallow, and B. Philips, Results from AMD work on EUV resist development, private communication.



25. Lawrence Berkeley National Laboratory, USA, <http://www.lbl.gov>
26. Semiconductor Leading Edge Technologies, Inc., <http://www.selete.co.jp>
27. International Technology Roadmap for Semiconductors, <http://public.itrs.net/>
28. SEMATECH EUV Source Workshops 2000- 2005. All workshop material can be found at <http://www.semtech.org/meetings/archives.htm>.
29. S. Wurm, Outlook for EUVL Manufacturing Insertion, Solid State Technology, to be published July 2006.
30. EUV Sources for Lithography, editor Vivek Bakshi, SPIE Press Vol. PM149, Bellingham, Washington, USA, 2006.

